

LBGB SERIES

# LBGBXL150

150KVA

key features

## tough & reliable

built specifically for harsh conditions  
japanese manufacturing excellence  
electro plated finish  
40 degree ambient

## efficient & clean

fuel efficient Japanese engines  
high load start tolerance  
high light load tolerance  
dual voltage/dual frequency


## operator friendly

world class noise suppression  
single side engine maintenance  
easy access to cooling system  
simple control system

## safe and compact

fully as compliant  
small footprint  
centre lift  
fork pocket skid

bioready, quiet,  
efficient &  
compact



Looking for more than just a regular rental company, come join the bug squad.

For more information, visit our website!

[www.ladybugrentz.com.au/biodiesel](http://www.ladybugrentz.com.au/biodiesel)

perspective,  
insightful,&  
observant.




# equipment specification

BIODIESEL

## LBGB150XL

125KVA/150KVA

RENTAL SPEC



### generator specifications

voltage (V)	415
frequency (HZ)	50
dimensions (mm)	3510L x 1285W x 1641H
dry weight (kg)	2840
operating weight (kg)	3090
fuel tank capacity (L)	250L diesel fuel
no. of phases	3 phase, 4 wire
sound level (dBA)	63



### engine specifications

make	hino j08cdud
cylinders	6 cylinders
related outputs PS (kw)	160 (118)
fuel consumption (L/hr)	19.4 (75% load)
battery capacity	95d31r

### electrical specifications

power factor	80%
exciting method	brushless (A.V.R)


construction,  
mining &  
offshore




1300 911 128

[ladybugrentz.com.au](http://ladybugrentz.com.au)





# all fuel optimised units are ultra heavy duty, silent and simple to use



 1300 911 128