

LBGB SERIES

LBGBXL60

60KVA

key features

tough & reliable

built specifically for harsh conditions
japanese manufacturing excellence
electro plated finish
40 degree ambient

efficient & clean

fuel efficient Japanese engines
high load start tolerance
high light load tolerance
dual voltage/dual frequency

operator friendly


world class noise suppression
single side engine maintenance
easy access to cooling system
simple control system

safe and compact

fully as compliant
small footprint
centre lift
fork pocket skid

bioready, quiet,
efficient &
compact

LBGBXL 60



ladybugrentz.com.au



Looking for more than just a regular rental company, come join the bug squad.

For more information, visit our website!

www.ladybugrentz.com.au/biodiesel

perspective,
insightful,&
observant.




equipment specification

BIODIESEL

LBGB60XL

50KVA/60KVA

RENTAL SPEC



generator specifications

voltage (V)	415
frequency (HZ)	50
dimensions (mm)	2550L x 960W x 1380H
dry weight (kg)	1323
operating weight (kg)	1463
fuel tank capacity (L)	130L diesel fuel
no. of phases	3 phase, 4 wire
sound level (dBA)	59



engine specifications

make	isuzu ddd4bg1
cylinders	4 cylinders
related outputs PS (kw)	65.4 (48.1)
fuel consumption (L/hr)	8.6 (75% load)
battery capacity	80d26r

electrical specifications

power factor	80%
exciting method	brushless (A.V.R)

construction,
mining &
offshore




1300 911 128

ladybugrentz.com.au





all fuel optimised units are ultra heavy duty, silent and simple to use



 1300 911 128