

LBGF SERIES

LBGFXL220

220KVA

key features

tough & reliable

built specifically for harsh conditions
japanese manufacturing excellence
electro plated finish
40 degree ambient

efficient & clean

fuel efficient Japanese engines
high load start tolerance
high light load tolerance
dual voltage/dual frequency


operator friendly

world class noise suppression
single side engine maintenance
easy access to cooling system
simple control system

safe and compact

fully as compliant
small footprint
centre lift
fork pocket skid

optimised, quiet,
efficient &
compact



Looking for more than just a regular rental company, come join the bug squad.

For more information, visit our website!

www.ladybugrentz.com.au/fueloptimised

perspective,
insightful,&
observant.




equipment specification

FUEL OPTIMISED

LBGFXL220XL

200KVA/220KVA

RENTAL SPEC



generator specifications

voltage (V)	415
frequency (HZ)	50
dimensions (mm)	4220L x 1396W x 1830H
dry weight (kg)	3530
operating weight (kg)	3920
fuel tank capacity (L)	390L diesel fuel
no. of phases	3 phase, 4 wire
sound level (dBA)	64



engine specifications

make	mitsubishi 6d24dt
cylinders	6 cylinders
related outputs PS (kw)	246 (181)
fuel consumption (L/hr)	31.8 (75% load)
battery capacity	170r51

electrical specifications

power factor	80%
exciting method	brushless (A.V.R)

construction,
mining &
offshore




1300 911 128

ladybugrentz.com.au





all fuel optimised units are ultra heavy duty, silent and simple to use



 1300 911 128